Spray plan completed by:

Operator	Spray Hub Plan Agrifac Condor				
Description of rig	Agrifac				
Location, Date		Oct-25			
Product or products	Summer				
roduct or products					
Target pest(s)					
Droplet size recommendation per	VC				
label or agronomist	VC VC				
Water rate I/ha (minimum	80	L/ha			
recommended)	00	L/11a			
Determine average speed you wish	24	km/hr			
to travel	24	KIII/III			
Spray zone awareness hazards of a					
sensitive nature/buffer zone					
Boom nozzle spacing (W) in metres	0.25	metre			
boom nozzie spacing (W) in metres	0.25	metre			
Total boom width	49	metre			
No. of nozzles on boom	196	nozzles			
Litres per minute per nozzle =km/hr xW(nozzle spacing in metres)					

Step 1

Litres per minute per nozzle =km/hr xW(nozzle spacing in metres) xlitres/ha ÷ 600						
	L/min/nozzle					
	efer to nozzle chart record selection					
0.8	Nozzle Size Pressure					
	• •					
Nozzle code selected	TTI60-11002 YELLOW					
NOZZIE COUE SEIECLEU	TTI11002 YELLOW					
Droplet Size						
Pressure range						



Need 2 Adapters from Agrifac to Wilger to TeeJet





Total No. of Nozzles

Combination of Nozzles					
Twin cap	Nozzle 1	Nozzle 2			
Dual Line	Line A	Line B			
Spray quality					

W = nozzle spacing (in metres) for broadcast spraying

W= spray width (in metres) for single nozzle brand spraying or boomless spraying

W= row spacing (in metres) divided by the number of nozzles per row for directed spraying

	Minimum		Constant		Maximum	
Spray quality as per ISO 25358	XC-VC		XC-VC		XC-VC	
Pressure as per nozzle chart		4		4	4	
itres per minute/nozzle	0.46	0.55	0.64	0.73	0.82	0.91
Duty cycle %	50%	60%	70%	80%	90%	100%

Kilometres/hour

= Litres per minute per nozzle x 600 ÷ litres sprayed hectare ÷ width (nozzle spacing in metres)

		. ,	<u> </u>	,		
Speed km/h	13.65	16.38	19.11	21.84	24.57	27.3
Litros/bostoro	_					

= Litres per minute per nozzle x 600 ÷ width (nozzle spacing in metres) ÷ kilometres per hou

1	Final Clerk						Tillal Cileck
•							Final Check
	Litres / hectare	80	80	80	80	80	80
- 1	1:4 / 14	00	00	00	00	90	00

Pressure 1 bar = 100 kpa = 14.5psi

Pressure 1 bar = 100 kpa = 14.5psi							
Panel Settings	Minimum / Buffer Zone		Constant		Maximum		
Total litres per minute all nozzles Litres/minute/nozzle x number of nozzles	89.18	107.016	124.852	142.688	160.524	178.36	
Speed km/h	13.65	16.38	19.11	21.84	24.57	27.3	
Pressure in bar	4		4		4		
Spray quality as per ISO 25358	XC-VC		XC-VC		XC-VC		